

Friday to Friday Sale

SEPT. 9-16

PRICES SUBJECT
TO CHANGE



TRANSMISSION TOOLS

A. TRANSMISSION DOOR REMOVER TOOL

Use to remove the complete door with gears and shafts from the transmission. Just prepare the trans for disassembly, bolt this tool to the outside of door, and place the two supplied press pins into the two screw holes of trans case. Thread in two of the screws, securing the door to case, and the door is pulled from case.

Can be used with transmission in frame. **SOLD AS KIT**
97H426 Fits all 2006 Dyna and 2007 FLHT & FXST.

A



C



B. 6 SPEED BEARING INSTALLER TOOL

Use for 6-Speed main drive case bearing installer, holds bearing square to its bore, eliminates marring of the bearing bore. It fits H-D FXD '06-up & Big Twin '07-up 6 Speed models. **SOLD AS KIT**

97H430 6 Speed bearing installer tool

B



E



C. MAIN SHAFT SPROCKET NUT SOCKET

97H420 Main shaft sprocket nut socket.

D. 39MM & 41MM FORK SPRING COMPRESSOR KIT

97H402 Fork spring compressor kit.

D



E. MAIN DRIVE GEAR WRENCH TOOL **NEW**

Removes the larger 2-1/4" hex nut from the end of the main drive gear which secures the rear drive transmission pulley. Fits H-D Dyna 2006 models and all Twin Cam 2007-up models.

97H178 Main Drive Gear wrench tool.



PRIMARY Belt Drives



3.35" FOR EVO & TWIN CAM® SOFTAIL®

BELT DRIVE ASSEMBLIES


58H730 Street Style Belt Drive Assembly--
Polished, cast backing plate, 1990-2006.

ULTIMA STREET STYLE

2" FOR EVO & TWIN CAM® SOFTAIL®

BELT DRIVE ASSEMBLIES

58H850 2" Old School Belt Drive Assembly - Polished



ULTIMA 2" BELT DRIVE

PRIMARY/CLUTCH TOOLS

A. ATV CLUTCH SPIDER NUT DRIVERS

97H500 ATV Clutch spider nut driver P85/P90

97H501 ATV Clutch spider nut driver P95/P90

B. CLUTCH SPRING COMPRESSION TOOL

Diaphragm clutch spring compression tool. Makes it easy to remove and re-install retainer ring. **SOLD EACH**

97H126 Fits Big Twin 1990 & later and Sportster® 1991 & later.

C. PRIMARY DRIVE HOLDING TOOL

97H404 Primary drive holding tool.

D. CLUTCH ALIGNMENT TOOL

97H432 Clutch Alignment Tool. **SOLD EACH**



FRONT END / WHEEL / TIRE

E. FORK SEAL & CAP INSTALLERS SET

Ideal tool to install fork seals, dust seals and caps into the bore without damaging the seal lip surface. Set contains: 41mm slider, 39mm slider, 35mm slider, 39mm pom cap **SOLD AS SET**

97H147 Fork seal & cap set

NEW

F. TIRE IRONS

High tension steel. **SOLD EACH**

97H11 Straight tire iron, 9.5" x 1".

97H7 Straight tire iron, 15.75" x 1".

97H6 Curved tire iron, 15" x 1".

G. HOSE CRIMP TOOL


97H104 Hose band clamp crimp tool. **SOLD EACH**

H. 3 PIECE BOX END COMBINATION WRENCH SET

This 3 piece box end combination wrench set.

Sizes are: 7/16" & 1/2", 9/16" & 5/8" and 11/16" & 3/4".

97H215 Combination wrench set. **SOLD AS SET**



CHAIN TOOLS

A. CHAIN BREAKER & RIVETING TOOL KIT

This Kit is supplied with adequate components to break chains from #35 to #630. It can be used on cam chains and drive chains.

Contents:

- Handle
- Lever
- Spring
- Two press plates
- Large anvil and small anvil
- H.S.S. Rivet tip for riveting hollow nose master links
- Body, alignment bolt and push bolt
- H.S.S. 2.2mm breaking tip for most cam chains
- H.S.S. 2.9mm breaking tip for chains #25 - #35 only
- H.S.S. 3.8mm breaking tip for chains #428 - #630
- Upper and lower guide for 2.2mm breaking tip

97H21

B. CHAIN BREAKER

This Chain Breaker is equipped with two hardened pins in 4.0mm. It covers the gamut from 420 to 620 chains. The handle can be folded away for easy storage.


97H23

C. MASTER LINK PLIERS

Many chains use a "master link" that allows the chain to be replaced by hand, over time, wear, dirt and corrosion can make it difficult to separate by hand. Master Link Pliers can solve the problem and make removal and replacement of these master links quick and effortless. Insert the jaws into the master link and squeeze the handles until link is separated.

97H24

A



B



C



D



E



F



G



H



D. PISTON RING COMPRESSOR SET

Self locking ratchet to compress rings by minute graduation. Pliers can be used vertically or horizontally.

Band Sizes:

- 2-7/8" to 3-1/8" (73mm to 79mm)
- 3-1/8" to 3-3/8" (79mm to 86mm)
- 3-3/8" to 3-5/8" (86mm to 92mm)
- 3-5/8" to 3-7/8" (92mm to 98mm)
- 3-7/8" to 4-1/8" (98mm to 105mm)
- 4-1/8" to 4-3/8" (105mm to 111mm)

NEW

97H115 Piston Ring compressor set.

E. MAIN BEARING END PLAY TOOL **NEW**

Sets proper end play by selection of proper spacer. Use when refitting bearings or bearing sets on late models when spacers are not included. Fits H-D Big Twin 1955 & up.

97H160 Main Bearing end play tool.

F. FLYWHEEL HOLDING TOOL **NEW**

Prevents flywheels from turning at the time of disassembly and assembly of engines. It also can be used to check clearance on stroker flywheels. Fits H-D FXD 2006-up, FXST 2007-up, FLST 2007-up, FLT 2007-up V-Twin.

97H175 Flywheel holding tool.

G. ADJUSTABLE PISTON RING INSTALLER **NEW**

Easy and safe piston ring installation without over-expanding the rings. Fits most common piston diameter. From 3/64" to 1/4" thick.

97H176 Adjustable piston ring installer tool.

H. PINION GEAR LOCKING TOOL **NEW**

Locks pinion gear when tightening the pinion gear nut. Just align underneath gear and screw into case. Fits H-D Big Twin between 1954-1999 single cam only. (includes aftermarket and S&S motors).

97H177 Pinion gear locking tool.

ENGINE TOOLS

A. 9-PIECE STUD REMOVAL & INSTALLATION TOOL SET **NEW**

Tool set provides the following sizes for stud installation:

7/16"-14, 7/16"-20, 7/32" Allen Wrench (852A)

3/8"-16, 3/8"-24, 3/16" Allen Wrench (852B)

5/16"-18, 5/16"-24, 5/32" Allen Wrench (852C)

1/4"-20, 1/4"-24, 1/4"-28, 1/8" Allen Wrench (852D)

97H125 9-Piece Stud removal & installation tool set.



A

B. WRIST PIN REMOVAL & INSTALLATION TOOL

97H406 Wrist pin removal and installation tool.



B

C. IGNITION SWITCH HOUSING ALIGNMENT TOOL

97H405 Ignition switch housing alignment tool.



C

D. BRUSH

97H319 Brass wire brush with wood handle. SOLD EACH



D

E. MAIN-SHAFT BEARING RACE PULLER / INSTALLER SET

97H401 Main shaft bearing race puller & installer set.




E

F. TAPPET ROLLER TOOL

Use this **U.S.A. MADE** tool to ease and simplify removing and replacing tappets on all H-D® models. SOLD EACH

97H57 Tappet roller tool for Big Twin, Sportster® and Evolution®.



F

G. FLYWHEEL NUT SOCKET TOOL SET

97H410 Flywheel nut socket tool set.



G

H. PISTON PIN KEEPER TOOL

97H416 Piston pin keeper tool.



H

I. TAPPET SCREEN PLUG TOOL

97H411 Tappet screen plug tool.



I

ENGINE TOOLS

A. CAM / CRANK SPROCKET LOCKING TOOL

97H412 2006-present Dyna and 2007-present FL & FXST.

97H413 1999-06 FL, 1999-05 FXD, and 2000-06 FXST.

B. ROCKER BUSHING & BEARING SERVICE TOOL SET

97H418 Rocker bushing & bearing service tool set.

C. CAM COVER PULLER

97H419 Cam cover puller for EVO®.

D. INNER CAM BEARING PULLER

Easily removes inner cam bearing without damaging the crankcase. It also can keep rollers from falling into the crankcase during removal. Pat. Pending
SOLD AS KIT

97H424 For H-D 57-90 Sportster, 57-85 XL and 87-90 Buell

