



MIDWEST Motorcycle Supply

AUG 10-17



PRICES SUBJECT
TO CHANGE

WEEK LONG SALE

EXTENDED REACH KIT FOR FORWARD CONTROLS 2000-2017

200 SERIES SOFTAIL® STYLE FRAME



NEW!



47-495



47-496



34° rake,
2" stretch downtubes
RADIUS STRUTS

47B495 Chrome Extension Kit for Forward Controls '00-'17.

47B496 Black Extension Kit for Forward Controls '00-'17.

#85B182
200 SERIES
Softail® Style Frame

PJ1 HEAVY DUTY CHAIN LUBE

Super tacky formula won't fly off. Extends chain and sprocket life. Prevents rust and corrosion. Ideal for on/off road applications.

103B15 5 Ounce can.

103B16 20 Ounce can.



PJ1 FORK TUNER™ OIL

Three different multi-viscosity weights for precise tuning. Consistent smooth damping action for more predictable ride in summer or winter temperatures. Fine tune your ride to your personal preference. Contains preservative to prevent messy seal leaks. Non-fading, non-foaming formula. 16 Ounce bottle.

103B54 Light; SAE 15W.

103B56 Heavy; SAE 30W.



PJ1 BLUE LABEL™ CHAIN LUBE

Super tacky formula won't fly off. Extends chain and sprocket life. Prevents rust and corrosion. Ideal for on/off road applications.

103B18 20 Ounce can.



PJ1 SPRAY FOAM FILTER TREATMENT

Easy, no-waste application. Super tacky to filter out dirt and sand. Water repelling. Makes engine breathe more efficiently.

103B13 13 oz can.

SOLD EACH



PJ1 SUPER CLEANER™

Great for all preassembly of motor, surface preparation for paint, decals and grip installation. Cleans carburetors, injector systems, disc brake rotors, pads, brake shoes, spark plugs, electrical switches... Everything! Removes moisture from ignition systems. Harmless to most plastics and paint.

103B29 13 oz can.

SOLD EACH



CHAMPION SYNTHETIC D.O.T. 4 BRAKE FLUID

Provides the ultimate in high temperature protection, moisture resistance, and lubricity for ABS, hydraulic drum, disc braking systems, and hydraulic clutches requiring DOT 4 & 3 brake fluid.

103B704 Champoin synthetic brake fluid, 12 ounces. SOLD EACH



K&N® RECHARGER FILTER CARE SERVICE KIT

A six step maintenance system designed to recharge any K&N Filtercharger® air filter. Completely restores air flow efficiency so your Filtercharger® performs like new!

103B201 Service kit. Includes 6.5 oz. air filter spray oil, 12 oz. filter cleaner and service decal.

103B12 K&N air filter oil, only.



SOLD AS KIT

ULTIMA® ENGINE OIL

ULTIMA PREMIUM BLEND STRAIGHT WEIGHT ENGINE OILS

SOLD EACH/CASE BOX IS 12PC

- High Zinc additive resists wear and provides exceptional load carrying characteristics
- Resist high temperature oxidation and deposit formation
- Strong detergents keep engine cleaner

103B112 Ultima Oil 70W



ULTIMA® ENGINE GEAR OIL

PREMIUM 80W90 GEAR OIL

Ultima 80W90 Gear Oil is our mineral based general purpose gear oil for use in all on and off road gear box applications. We recommend this oil in all Ultima transmissions for break-in and continued GL-3 service where mineral based lubricants are recommended or preferred.

SOLD EACH/CASE BOX IS 12PC

103B116 Ultima 80W90 Gear Lube



ULTIMA PREMIUM BLEND MULTI VISCOSITY 20W50 SYNTHETIC BLEND

SOLD EACH/CASE BOX IS 12PC

- High Zinc additive resist wear and provides maximum load carrying characteristics
- Higher resistance to oil oxidation and deposit formation than conventional oils
- Strong detergents keep engine cleaner, even at elevated temperatures
- Formulated to resist extreme sheer stress imposed by transmission gears when used as transmission oil and includes proper friction modifiers to provide wet clutch protection and clutch control.

103P114 Ultima Oil 20W50 Synthetic Blend



ULTIMA® RACING 20W50 FULL SYNTHETIC

SOLD EACH/CASE BOX IS 12PC

Ultima® Racing 20W50 motor oil is a full synthetic olefin-ester based oil specifically engineered to provide protection during extreme service conditions where conventional oils fail. This extreme performance multi-grade motor oil should be used in all 4 Stroke engines where maximum service life and top performance are required and expected. This oil will maximize power transfer performance, provide critical protection against ring wear and piston scuffing and improve the wear characteristics in any engine, even under extreme conditions. This oil is not recommended as a "break-in oil" for any Air Cooled V-Twin and should not be mixed with petroleum based oils. When switching to Ultima® Full Synthetic Oil, change oil and filter for a complete fluid change.

Exceeds all known motorcycle manufacturer's warranty requirements including API SF,SG,SH,SL and JASO MA and does not void new vehicle warranty.

Check manufacturer's recommendation for viscosity and change interval. This Oil is recommended by Ultima® for protection AFTER break in periods on all Ultima® Brand Engines. SOLD EACH/CASE BOX IS 12PC

BENEFITS INCLUDE

- Reduces friction on all contact surfaces
- Lower engine operating temperature
- Maximize horsepower
- Improves fuel economy
- Maximize engine life

103B115 Ultima® Oil 20W50 Full Synthetic



ULTIMA® D.O.T. 5 BRAKE FLUID

Silicone based DOT 5 brake fluid is specified for use in H-D® brake systems. Ultima® DOT 5 brake fluid is designed for severe service applications and will not boil at temperatures up to 500°F. Will not absorb moisture. Premium quality at a budget price! SOLD EACH

103P197 Ultima® DOT 5 brake fluid, 12 ounces.



LIQUID HORSEPOWER OCTANE BOOSTER

- Boosts octane 5-10 points
- Combustion catalyst improves fuel mileage and performance
- Cleans fuel system
- Upper cylinder lubricant
- Stabilizes fuel

103B250 Liquid Horsepower, 1 oz bottle, treats 5 gallons.

103B252 Liquid Horsepower, 6 oz bottle, treats 30 gallons.



Wheel Bearing Grease

Lithium complex high temperature grease. Meets the requirements for disc and drum brakes. Good temperature stability. Protects against rust and oxidation. May also be used in general purpose applications. SOLD EACH

103B300 1 lb. Container grease.





ULTIMA® THUNDERFIRE® HEAVY DUTY STARTER '89-'06



2.0 KW SERIES


- Made for Big Inch engines
- Heavier Clutch Gears
- Fits some stock applications on Big Twins where 7/8" longer body is not a problem.
- Fits FLT and Dyna® when used with 89-14 oil filler spacer
- Includes manual push button cap on solenoid
- Requires a 300 amp Battery and good cables for best results
- Each Starter is individually tested with data sheet included

TOP POST STARTERS

70B226 2.0 Kw Chrome Plated

ULTIMA® 2" LATE MODEL PRIMARY BELT DRIVE

**06'-PRESENT DYNA,
07'-PRESENT SOFTAIL®**



The Ultima® 2" Late Model belt drive has been designed to effortlessly transfer the torque & power of even the most brutal high horse power engines. We have taken our time tested & proven technology of clutch drive systems & applied it to this late model belt drive. Designed to fit 06-present Dynas & 07-present Softails®, Features include a premium polished 6061-T6 billet aluminum backing plate, high performance Ultima® clutch plates, Ultima® 2" belt & stainless clutch basket inserts to eliminate clutch plate wear on the outer basket. 53T motor pulley & 72T transmission pulley. Not designed for use with mid-controls. Will work with floorboards although some spacing may be required.

58B960 2" Late Model Belt Drive Billet Polished.

06'-Present Dyna, 07'-Present Softail®

ULTIMA® THUNDERFIRE® PRESTOLITE-TYPE STARTER



Fits FL 1966 thru 1981, FLT 1980 thru 1982, FXR 1982, XL 1967 thru 1973, and XL 1977 thru 1980. A fine restoration item, this reproduction of the H-D® OEM Prestolite electric starter motor is available in chrome or black. We also offer many of the replacements parts for this starter motor.

70B130 Complete black starter motor assembly.
OEM 31458-66A.

ULTIMA® THUNDERFIRE® HITACHI-TYPE STARTER MOTOR



Fits FL 1982 thru 1984, FXR & FLT 1983 thru 1988, FXST 1984 thru 1988, FXE 1974 thru 1988, and XL 1974 thru 1976.

A reproduction of the H-D® OEM electric starter motor used on many applications from 1973 thru 1987 is available in chrome or black. We also offer many of the replacements parts for this starter motor.

70B139 Complete chrome starter motor assembly. OEM 31570-73 & 31559-89T.

ULTIMA® 2" BAGGER EVO & TWIN CAM® PRIMARY BELT DRIVE



Fitting 1990-2006 FLT, FLH & FXR models (Evo or Twin Cam®), these Ultima 2" Bagger belt drives feature 6061-T6 billet aluminum backing plate, High Performance Alto clutch plates, Goodyear 2" belt, polished aluminum belt guard & cover, newly designed billet starter shaft housing & pulley covers. The 2" Bagger belt drive has also been designed to work with most floorboards & primary mounted stock shift mechanisms.

58B853 Polished 2" Bagger Belt Drive Assembly. '90-'06
FLT, FLH, FXR

HIGH PERFORMANCE EFI AIR CLEANER KITS

Fits Harley® 2001- 2007 Softail®,
2002-2007 Touring models &
2004-2007 Dyna® models

12B572 Chrome Air Cleaner Kit
for EFI Twin Cam®

12B584 Black Air Cleaner Kit
for EFI Twin Cam®

Fits Harley® 2007 & Later
Sporster®, 2002-2007 EFI models.

12B585 Chrome Air Cleaner Kit
for XL® 2007 & Later

12B586 Black Air Cleaner Kit
for XL® 2007 & Later



12-572




12-584

HIGH PERFORMANCE BILLET ALUMINUM AIR CLEANER KIT

Round 5-7/8" dia. custom high performance
air cleaner is made from billet aluminum
and is designed for high end air flow along
with easy fitment & service. Kit comes
complete with a high performance filter,
backing plate & mounting hardware.

SOLD AS KIT

12B209 Black HP 5 Splade A/C kit.



DRILLED DISC AIR CLEANER

CHROME
PLATED



For Bendix, Tillotson, Keihin (except "CV")
and S&S® (except Super "E" & Super "G") carburetors.
Complete with washable foam element & mounting hardware. SOLD EACH

12B251 Air cleaner. Replaces OEM 80040-81.

EARLY H-D® STYLE AIR FILTER

7" Diameter x 2-1/2" thick. Same size
& shape as the old round H-D®
air filter. Fits Bendix, Tillotson and
Keihin.

12B122 With engraved motorcycle logo. SOLD EACH



ROUND RAM-FLO ROUND AIR FILTER

Improve the performance of your
motorcycle with the Ram-Flo Air Filter
that remains efficient where air demands
are high. Flame retardant, washable in
soap & water & designed to run dry. SOLD EACH

12B114 For H-D® with Keihin CV carbs.

12B116 For H-D® with S&S® E and G carbs.



ULTIMA® AIR CLEANER ASSEMBLY



Ultima® air cleaners can be installed to update most existing Mikuni applications. Our mounting
hardware will be required and may not be the correct spacing for your application. Manifolds
using proback adapters will set the carburetor out further and additional spacing will be required.



12B171 Performance Ultima® Air Cleaner 42/45/48, chrome.





ULTIMA® THROTTLE & IDLE CABLES

BRAIDED & BLACK VINYL



Ultima Cables feature polished chrome fittings. Available Black Vinyl outer casing or Stainless-steel braiding. Cables have tempered steel inner conduit and an inner nylon liner for smooth operation and extended life.

Cable sizes in undersize, standard & oversize lengths for most single and dual cable applications.

Braided cables feature an abrasion resistant outer housing coated with a non-yellowing clear covering.

Fits Models	Braided Throttle		Black Vinyl Throttle		Braided Idle		Black Vinyl Idle		Cruise Ready		OEM #		
	Part #	Part #	Length	Elbow	Travel	OEM #	Part #	Part #	Length	Elbow			
Dresser Models													
96-07 FLHR	48-110	48-114	42 1/2"	90°	5 1/4"	56379-97	* 48-157	* 48-162	42 1/2"	90°	42 1/2"	N	56368-96
96-97 FLHR/I	48-110	48-114	42 1/2"	90°	5 1/4"	56379-97	* 48-157	* 48-162	42 1/2"	90°	42 1/2"	N	56368-96
98-01 FLHRC/I	48-110	48-114	42 1/2"	90°	5 1/4"	56379-97	* 48-157	* 48-162	42 1/2"	90°	42 1/2"	N	56368-96
02-07 FLHT	48-100	48-105	39 1/2"	70°	5"	56526-02	* Cables do not come with compression spring per OEM specs.						
96-01 FLHT	48-101	48-106	38"	70°	5"	56327-96	48-158	48-163	38"	70°	4 3/4"	N	56328-96
95 FLHT	48-111	48-115	38"	70°	5"	56327-90	48-159	48-164	38"	70°	4 3/4"	N	56328-90
84-87 FLHT	48-104	48-109	42 1/2"	70°	3 3/4"	56327-81B	48-151	48-154	42 1/2"	70°	4"	N	56328-81B
03-07 FLHT/I	48-100	48-105	39 1/2"	70°	5"	56526-02							
02-07 FLHTC	48-100	48-105	39 1/2"	70°	5"	56526-02							
96-01 FLHTC	48-101	48-106	38"	70°	5"	56327-96	48-158	48-163	38"	70°	4 3/4"	N	56328-96
90-95 FLHTC	48-111	48-115	38"	70°	5"	56327-90	48-159	48-164	38"	70°	4 3/4"	N	56328-90
84-89 FLHTC	48-104	48-109	42 1/2"	70°	3 3/4"	56327-81B	48-151	48-154	42 1/2"	70°	4"	N	56328-81B
02-07 FLHTC/I	48-100	48-105	39 1/2"	70°	5"	56526-02							
96-98 FLHTCU	48-101	48-106	38"	70°	5"	56327-96							
90-95 FLHTCU	48-111	48-115	38"	70°	5"	56327-90	48-159	48-164	38"	70°	4 3/4"	N	56328-90
87-89 FLHTCU	48-104	48-109	42 1/2"	70°	3 3/4"	56327-81B	48-151	48-154	42 1/2"	70°	4"	N	56328-81B
02-07 FLHTCU/I	48-100	48-105	39 1/2"	70°	5"	56526-02							
90-95 FLTCU	48-111	48-115	38"	70°	5"	56327-90	48-159	48-164	38"	70°	4 3/4"	N	56328-90
02-04 FLTR	48-100	48-105	39 1/2"	70°	5"	56526-02							
98-01 FLTR	48-101	48-106	38"	70°	5"	56327-96							
02-07 FLTR/I	48-100	48-105	39 1/2"	70°	5"	56526-02							
90-93 FLHS	48-111	48-115	38"	70°	5"	56327-90	48-159	48-164	38"	70°	4 3/4"	N	56328-90
87-89 FLHS	48-104	48-109	42 1/2"	70°	3 3/4"	56327-81B	48-151	48-154	42 1/2"	70°	4"	N	56328-81B
06-07FLHX/I	48-100	48-105	39 1/2"	70°	5"	56526-02							
90-91 FLTC	48-111	48-115	38"	70°	5"	56327-90	48-159	48-164	38"	70°	4 3/4"	N	56328-90
84-89 FLTC	48-104	48-109	42 1/2"	70°	3 3/4"	56327-81B	48-151	48-154	42 1/2"	70°	4"	N	56328-81B
84-86 FLT	48-104	48-109	42 1/2"	70°	3 3/4"	56327-81B	48-151	48-154	42 1/2"	70°	4"	N	56328-81B


THROTTLE & IDLE CABLES **BRAIDED & BLACK VINYL**

Fits Models	Braided Throttle	Black Vinyl Throttle	Length	Elbow	Travel	OEM #	Braided Idle	Black Vinyl Idle	Length	Elbow	Travel	Cruise	OEM #
	Part #	Part #					Part #	Part #					
SOFTAIL MODELS													
14-15 FXSB	48-103	48-108	30 3/4"	90°	5"	561000-56	48-150	48-153	30 3/4"	90°	4 3/4"	N	270000-04
08-11 FXCW/FXCWC	48-103	48-108	30 3/4"	90°	5"	56343-01	48-150	48-153	30 3/4"	90°	4 3/4"	N	56342-01
01-10 FXST/I	48-103	48-108	30 3/4"	90°	5"	56343-01	48-150	48-153	30 3/4"	90°	4 3/4"	N	56342-01
99-00 FXST	48-103	48-108	30 3/4"	90°	5"	56356-96	48-150	48-153	30 3/4"	90°	4 3/4"	N	56342-96
90 FXST	48-112	48-116	30"	90°	5"	56343-90	48-156	48-161	30"	90°	4 3/4"	N	56342-90
07-10 FXSTC	48-102	48-107	32 1/2"	90°	5"	56356-96	48-152	48-155	31 3/4"	90°	4 3/4"	N	56355-96
96-99 FXSTC	48-103	48-108	30 3/4"	90°	5"	56356-96	48-150	48-153	30 3/4"	90°	4 3/4"	N	56342-96
90-95 FXSTC	48-112	48-116	30"	90°	5"	56343-90	48-156	48-161	30"	90°	4 3/4"	N	56342-90
00-07 FXSTD/I	48-103	48-108	30 3/4"	90°	5"	56343-01	48-150	48-153	30 3/4"	90°	4 3/4"	N	56342-01
04-07 FXSTS/I	48-103	48-108	30 3/4"	90°	5"	56343-01	48-150	48-153	30 3/4"	90°	4 3/4"	N	56342-01
96-97 FXSTSB	48-103	48-108	30 3/4"	90°	5"	56356-96	48-150	48-153	30 3/4"	90°	4 3/4"	N	56342-96
95 FXSTSB	48-112	48-116	30"	90°	5"	56343-90	48-156	48-161	30"	90°	4 3/4"	N	56342-90
10-15 FLSTFB	48-103	48-108	30 3/4"	90°	5"	56343-01	48-150	48-153	30 3/4"	90°	4 3/4"	N	56342-01
01-15 FLSTC/I	48-103	48-108	30 3/4"	90°	5"	56343-01	48-150	48-153	30 3/4"	90°	4 3/4"	N	56342-01
12-15 FLS	48-103	48-108	30 3/4"	90°	5"	56343-01	48-150	48-153	30 3/4"	90°	4 3/4"	N	56342-01
96-00 FLSTC	48-103	48-108	30 3/4"	90°	5"	56356-96	48-150	48-153	30 3/4"	90°	4 3/4"	N	56342-96
90-95 FLSTC	48-112	48-116	30"	90°	5"	56343-90	48-156	48-161	30"	90°	4 3/4"	N	56342-90
90 FLST	48-112	48-116	30"	90°	5"	56343-90	48-156	48-161	30"	90°	4 3/4"	N	56342-90
01-15 FLSTF/I	48-103	48-108	30 3/4"	90°	5"	56343-01	48-150	48-153	30 3/4"	90°	4 3/4"	N	56342-01
96-00 FLSTF	48-103	48-108	30 3/4"	90°	5"	56356-96	48-150	48-153	30 3/4"	90°	4 3/4"	N	56342-90
90-95 FLSTF	48-112	48-116	30"	90°	5"	56343-90	48-156	48-161	30"	90°	4 3/4"	N	56342-90
05-15 FLSTN/I	48-103	48-108	30 3/4"	90°	5"	56343-01	48-150	48-153	30 3/4"	90°	4 3/4"	N	56342-01
96 FLSTN	48-103	48-108	30 3/4"	90°	5"	56356-96	48-150	48-153	30 3/4"	90°	4 3/4"	N	56342-96
93-95 FLSTN	48-112	48-116	30"	90°	5"	56343-90	48-156	48-161	30"	90°	4 3/4"	N	56342-90
01-03 FLSTS/I	48-103	48-108	30 3/4"	90°	5"	56343-01	48-150	48-153	30 3/4"	90°	4 3/4"	N	56342-01
97-00 FLSTS	48-103	48-108	30 3/4"	90°	5"	56356-96	48-150	48-153	30 3/4"	90°	4 3/4"	N	56342-96

Fits Models	Braided Throttle	Black Vinyl Throttle	Length	Elbow	Travel	OEM #	Braided Idle	Black Vinyl Idle	Length	Elbow	Travel	Cruise	OEM #
	Part #	Part #					Part #	Part #					
DYNA GLIDE MODELS													
12-16 FLD	48-103	48-108	30 3/4"	90°	5"	56421-06	48-150	48-153	30 3/4"	90°	4 3/4"	N	56415-06
96-05 FXD	48-102	48-107	32 1/2"	90°	5"	56356-96	48-152	48-155	31 3/4"	90°	4 3/4"	N	56355-96
02-05 FXD/I	48-102	48-107	32 1/2"	90°	5"	56356-96	48-152	48-155	31 3/4"	90°	4 3/4"	N	56355-96
95 FXD	48-113	48-117	32 1/2"	90°	5"	56356-92	48-160	48-165	31 3/4"	90°	4 3/4"	N	56355-92
99-05 FXDX	48-102	48-107	32 1/2"	90°	5"	56356-96	48-152	48-155	31 3/4"	90°	4 3/4"	N	56355-96
02-05 FXDX/I	48-102	48-107	32 1/2"	90°	5"	56356-96	48-152	48-155	31 3/4"	90°	4 3/4"	N	56355-96
01-03 FXDXT	48-102	48-107	32 1/2"	90°	5"	56356-96	48-152	48-155	31 3/4"	90°	4 3/4"	N	56355-96
10-16 FXDWG	48-103	48-108	30 3/4"	90°	5"	56421-06	48-150	48-153	30 3/4"	90°	4 3/4"	N	56415-06
96-08 FXDWG/I	48-102	48-107	32 1/2"	90°	5"	56356-96	48-152	48-155	31 3/4"	90°	4 3/4"	N	56355-96
01-02 FXDWG 2/3	48-103	48-108	30 3/4"	90°	5"	56343-01	48-150	48-153	30 3/4"	90°	4 3/4"	N	56408-01
93-95 FXDWG	48-113	48-117	32 1/2"	90°	5"	56356-92	48-160	48-165	31 3/4"	90°	4 3/4"	N	56355-92
15-16 FXDL	48-103	48-108	30 3/4"	90°	5"	56343-01	48-150	48-153	30 3/4"	90°	4 3/4"	N	56415-06
06-12 FXDL/I	48-103	48-108	30 3/4"	90°	5"	56343-01	48-150	48-153	30 3/4"	90°	4 3/4"	N	56415-06
96-05 FXDL	48-102	48-107	32 1/2"	90°	5"	56356-96	48-152	48-155	31 3/4"	90°	4 3/4"	N	56355-96
93-95 FXDL	48-113	48-117	32 1/2"	90°	5"	56356-92	48-160	48-165	31 3/4"	90°	4 3/4"	N	56355-92
96-00 FXDS-Conv.	48-102	48-107	32 1/2"	90°	5"	56356-96	48-152	48-155	31 3/4"	90°	4 3/4"	N	56355-96
94-95 FXDS Conv.	48-113	48-117	32 1/2"	90°	5"	56356-92	48-160	48-165	31 3/4"	90°	4 3/4"	N	53355-92
06-16 FXDB w/ base mini apes	48-102	48-107	32 1/2"	90°	5"	56356-96A	48-152	48-155	31 3/4"	90°	4 3/4"	N	56355-96A
92 FXDB	48-113	48-117	32 1/2"	90°	5"	56356-92	48-160	48-165	31 3/4"	90°	4 3/4"	N	56355-92
91 FXDB	48-112	48-116	30"	90°	5"	56343-90	48-156	48-161	30"	90°	4 3/4"	N	56342-90
92 FXDC	48-113	48-117	32 1/2"	90°	5"	56356-92	48-160	48-165	31 3/4"	90°	4 3/4"	N	56355-92
06 FXD35	48-103	48-108	30 3/4"	90°	5"	56343-01	48-150	48-153	30 3/4"	90°	4 3/4"	N	56415-06

Fits Models	Braided Throttle	Black Vinyl Throttle	Length	Elbow	Travel	OEM #	Braided Idle	Black Vinyl Idle	Length	Elbow	Travel	Cruise	OEM #
	Part #	Part #					Part #	Part #					
FXR MODELS													
90-94 FXLR	48-112	48-116	30"	90°	5"	56343-90	48-156	48-161	30"	90°	4 3/4"	N	56342-90
90-94 FXR	48-112	48-116	30"	90°	5"	56343-90	48-156	48-161	30"	90°	4 3/4"	N	56342-90
90-92 FXRS	48-112	48-116	30"	90°	5"	56343-90	48-156	48-161	30"	90°	4 3/4"	N	56342-90
90-93 FXRS-Conv.	48-112	48-116	30"	90°	5"	56343-90	48-156	48-161	30"	90°	4 3/4"	N	56342-90
90-93 FXRS-SP	48-112	48-116	30"	90°	5"	56343-90	48-156	48-161	30"	90°	4 3/4"	N	56342-90
90-92 FXRT	48-112	48-116	30"	90°	5"	56343-90	48-156	48-161	30"	90°	4 3/4"	N	56342-90

CLUTCH CABLES BRAIDED & BLACK VINYL



Fits Models	Braided Part #	Black Vinyl Part #	Housing Length	Adjuster Location From Trans	Inner Cable Travel	OEC Part #
DRESSER MODELS						
07 FLHRS	48-210	48-214	62-11/16"	25-7/16"	3-1/4"	38667-07
08-16 FLHR	48-202	48-207	62-11/16"	25-7/16"	3-7/8"	38667-08A
07 FLHRS	48-210	48-214	62-11/16"	25-7/16"	3-1/4"	38667-07
94-06 FLHR	48-203	48-208	62-11/16"	25-7/16"	2-3/4"	38601-89
00-06 FLHR/I	48-203	48-208	62-11/16"	25-7/16"	2-3/4"	38667-00
96-97 FLHR/I	48-203	48-208	62-11/16"	25-7/16"	2-3/4"	38601-89
08-13 FLHRC	48-202	48-207	62-11/16"	25-7/16"	3-7/8"	38667-08A
07 FLHRC	48-210	48-214	62-11/16"	25-7/16"	3-1/4"	38667-07
98-06 FLHRC/I	48-203	48-208	62-11/16"	25-7/16"	2-3/4"	38667-00
08-11 FLHRSE	48-202	48-207	62-11/16"	25-7/16"	3-7/8"	38667-08A
07 FLHRSE	48-210	48-214	62-11/16"	25-7/16"	3-1/4"	38667-07
02-04 FLHRSE/I	48-203	48-208	62-11/16"	25-7/16"	2-3/4"	38667-00
08-13 FLHT	48-202	48-207	62-11/16"	25-7/16"	3-7/8"	38667-08A
07 FLHT	48-210	48-214	62-11/16"	25-7/16"	3-1/4"	38667-07
95-06 FLHT	48-203	48-208	62-11/16"	25-7/16"	2-3/4"	38667-00
87 FLHT	48-211	48-215	62-11/16"	32-15/16"	2-3/4"	38607-87A
08-13 FLHTC	48-202	48-207	62-11/16"	25-7/16"	3-7/8"	38667-08A
07 FLHTC	48-210	48-214	62-11/16"	25-7/16"	3-1/4"	38667-07
89-06 FLHTC	48-203	48-208	62-11/16"	25-7/16"	2-3/4"	38667-00
87-88 FLHTC	48-211	48-215	62-11/16"	32-15/16"	2-3/4"	38607-87A
89-06 FLHTC/I	48-203	48-208	62-11/16"	25-7/16"	2-3/4"	38667-00
08-13 FLHTCU	48-202	48-207	62-11/16"	25-7/16"	3-7/8"	38667-08A
10-13 FLHTCUTG	48-202	48-207	62-11/16"	25-7/16"	3-7/8"	38667-08A
07 FLHTCU	48-210	48-214	62-11/16"	25-7/16"	3-1/4"	38667-07
89-06 FLHTCU	48-203	48-208	62-11/16"	25-7/16"	2-3/4"	38667-00
87-88 FLHTCU	48-211	48-215	62-11/16"	32-15/16"	2-3/4"	38607-87A
89-06 FLHTCU/I	48-203	48-208	62-11/16"	25-7/16"	2-3/4"	38667-00
89-96 FLTCU/I	48-203	48-208	62-11/16"	25-7/16"	2-3/4"	38601-89
08-12 FLTR	48-202	48-207	62-11/16"	25-7/16"	3-7/8"	38667-08A
13 FLTR/X	48-202	48-207	62-11/16"	25-7/16"	3-7/8"	38667-08A
07 FLTR	48-210	48-214	62-11/16"	25-7/16"	3-1/4"	38667-07
99-06 FLTR	48-203	48-208	62-11/16"	25-7/16"	2-3/4"	38667-00
99-06 FLTRI	48-203	48-208	62-11/16"	25-7/16"	2-3/4"	38667-00
00-01 FLTRSE	48-203	48-208	62-11/16"	25-7/16"	2-3/4"	38667-00
89-93 FLHS	48-203	48-208	62-11/16"	25-7/16"	2-3/4"	38601-89
87-88 FLHS	48-211	48-215	62-11/16"	32-15/16"	2-3/4"	38607-87A
08-13 FLHX	48-202	48-207	62-11/16"	25-7/16"	3-7/8"	38667-08A
07 FLHX	48-210	48-214	62-11/16"	25-7/16"	3-1/4"	38667-07
06 FLHX/I	48-203	48-208	62-11/16"	25-7/16"	2-3/4"	38667-00
89-91 FLTC	48-203	48-208	62-11/16"	25-7/16"	2-3/4"	38601-89
87-88 FLTC	48-211	48-215	62-11/16"	32-15/16"	2-3/4"	38607-87A

Fits Models	Braided Part #	Black Vinyl Part #	Housing Length	Adjuster Location From Trans	Inner Cable Travel	OEC Part #
SOFTTAILS						
08-11 FXCW/FXCWC	48-201	48-206	64-11/16"	31-1/2"	3-1/4"	38666-07
07-10 FXST	48-201	48-206	64-11/16"	31-1/2"	3-1/4"	38666-07
00-06 FXST/I	48-200	48-205	64-7/16"	32-15/16"	2-3/4"	38666-00
99 FXST	48-211	48-215	62-11/16"	32-15/16"	2-3/4"	38607-87A
00-06 FXSTC	48-201	48-206	64-11/16"	31-1/2"	3-1/4"	38666-07
87-99 FXST/C	48-211	48-215	62-11/16"	32-15/16"	2-3/4"	38607-87A
07 FXSTD	48-212	48-216	61-11/16"	31-1/2"	3-1/4"	38664-07
00-06 FXSTD/I	48-211	48-215	62-11/16"	32-15/16"	2-3/4"	38664-00
07 FLSTSC	48-201	48-206	64-11/16"	31-1/2"	3-1/4"	38666-07
00-06 FXSTS/I	48-200	48-205	64-7/16"	32-15/16"	2-3/4"	38666-00
87-99 FXSTS	48-211	48-215	62-11/16"	32-15/16"	2-3/4"	38607-87A
12-16 FLS	48-212	48-216	62-11/16"	31-1/2"	3-1/4"	38664-07
07-16 FLSTC	48-201	48-206	64-11/16"	31-1/2"	3-1/4"	38666-07
00-06 FLSTC/I	48-200	48-205	64-7/16"	32-15/16"	2-3/4"	38666-00
87-99 FLSTC	48-211	48-215	62-11/16"	32-15/16"	2-3/4"	38607-87A
06 FLST/I	48-200	48-205	64-7/16"	32-15/16"	2-3/4"	38666-00
10-16 FLSTFB	48-201	48-206	64-11/16"	31-1/2"	3-1/4"	38664-07
87-90 FLST	48-211	48-215	62-11/16"	32-15/16"	2-3/4"	38607-87A
07-13 FLSTF	48-212	48-216	62-11/16"	31-1/2"	3-1/4"	38664-07
00-06 FLSTF/I	48-200	48-205	64-7/16"	32-15/16"	2-3/4"	38666-00
90-99 FLSTF	48-211	48-215	62-11/16"	32-15/16"	2-3/4"	38607-87A
07-16 FLSTN	48-212	48-216	62-11/16"	31-1/2"	3-1/4"	38664-07
05-06 FLSTN	48-211	48-215	62-11/16"	32-15/16"	2-3/4"	38664-00
93-93 FLSTN	48-211	48-215	62-11/16"	32-15/16"	2-3/4"	38607-87A
08-11 FLSTSB	48-201	48-206	64-11/16"	31-1/2"	3-1/4"	38666-07
00-06 FLSTS/I	48-200	48-205	64-7/16"	32-15/16"	2-3/4"	38666-00
97-99 FLSTS	48-211	48-215	62-11/16"	32-15/16"	2-3/4"	38607-87A

Fits Models	Braided Part #	Black Vinyl Part #	Housing Length	Adjuster Location From Trans	Inner Cable Travel	OEC Part #
DYNA-GLIDE						
12-16 FLD	48-201	48-206	64-11/16"	31-1/2"	3-1/4"	38666-07
06-10 FXD	40-201	48-206	64-11/16"	31-1/2"	3-1/4"	38666-07
00-05 FXD/X	48-200	48-205	64-7/16"	32-15/16"	2-3/4"	38666-00
06-14 FXDC	48-201	48-206	64-11/16"	31-1/2"	3-1/4"	38666-07
00-05 FXDX/T	48-200	48-205	64-7/16"	32-15/16"	2-3/4"	38666-00
06-16 FXDB						
w/ mini base apes	48-204	48-209	68-11/16"	31-1/2"	3-1/4"	38789-06A
01-02 FXDWG CVO	48-200	48-205	64-7/16"	32-15/16"	2-3/4"	38666-00
14-16 FXDL	48-204	48-209	68-11/16"	31-1/2"	3-1/4"	38789-06A
06-08 FXDL	48-201	48-206	64-11/16"	31-1/2"	3-1/4"	38788-06A
01-05 FXDL	48-200	48-205	64-7/16"	32-15/16"	2-3/4"	38666-00
10-16 FXDWG	48-204	48-209	68-11/16"	31-1/2"	3-1/4"	38789-06A
06-08 FXDWG	48-204	48-209	68-11/16"	31-1/2"	3-1/4"	38789-06A
06 FXD35	48-201	48-206	64-11/16"	31-1/2"	3-1/4"	38787-06