


WEEK LONG SALE



**JUNE
7-14**

**SPECIAL:
ROTOR
& MORE**



A. OEM STYLE ROTORS (POLISHED STAINLESS STEEL)

- 90V620 Rotor, 11.5" front, 84'- 99' & 00'-later (w/speedo notch)
- 90V623 Rotor, 11.5" rear, 84'- 99' & 00'-later



B. CLASSIC SPOKE ROTORS (POLISHED STAINLESS STEEL)

- 90V625 Rotor, 11.5" rear, 84'- 99' & 00'-later
- 90V634 Rotor, 11.8" Rear, 08'- 13' Touring & 06'- 09' Dyn



C. KING SPOKE ROTORS (POLISHED STAINLESS STEEL)

- 90V610 Rotor, 11.5" front, 84'- 99' & 00'-later (w/speedo notch)
- 90V613 Rotor, 11.5" rear, 84'- 99' & 00'-later

Rotors utilize reducer spacers to achieve multi-year applications. Rotors have 2.220" center hole. Reducer spacer has 1.975" center hole.



ULTIMA® POLISHED OR SATIN FINISH STAINLESS STEEL BRAKE ROTORS



Surface hardened with high chrome content on A1S1 #420 stainless plate material. Precision blanchard grinding and CNC machined holes make for a great fitting part. Superior braking performance whether it's wet or dry.


APPLICATION	OEM NUMBER	DIA./ID	BOLT PATTERN	SATIN FINISH	POLISH FINISH
FX & FXR, Front, with dual disc, 1977 thru 1983. Uses stock mounting hardware.	44137-77A	10"/1.990"	Countersunk	90V762	90V764
FX & Softail®, Rear, 1981-1999. XL Rear, 1979 & later. FXR Rear, 1982 thru 1991. Uses stock mounting hardware.	41791-79A	11-1/2"/1.990"	Countersunk	90V768	-----
All Front, single or dual, 1984 thru 1999 (two required for dual disc applications).	44136-84A	11-1/2"/1.990"	Counterbore	-----	90V756
Big Twin and Sportster®, Rear, 1992-1999, except FLT models.	41789-92	11-1/2"/1.990"	Counterbore	90V755	90V757
All models, Rear, 2000 & later	41797-00	11-1/2"/2.220"	Counterbore	90V759	-----

ALL DISCS SOLD EACH

DISC BRAKE ROTORS



90-205



90-206



90-606



90-605

Rotors of the finest quality steel or stainless steel. Precision machined and precision ground to OEM specifications. Steel rotors are zinc plated to resist corrosion and maintain "as new" appearance. Stainless steel rotors are mirror finished.

ALL DISCS SOLD EACH

APPLICATION	OEM NO.	DIA-METER	BOLT PATTERN	DRILLED	MIRROR FINISH STAINLESS STEEL DRILLED
FX Rear, 1973 thru 1978. XL & FX, Front, with single disc, 1973. FL Front & Rear, 1972 thru 1978.	41806-72B	10"	Straight hole	90V207	90V605
FX & XL Front, with single disc, 1974 thru 1977.	41807-74	11-1/2"	Countersunk	90V206	90V606
FX, FXR & XL Front, with dual disc, 1977 thru 1983.	44137-77A	10"	Countersunk	90V205	90V607
FX & Softail®, Rear, 1981 thru 1999. FXR Rear, 1982 thru 1999. XL Rear, 1979 thru 1999.	41791-79A	11-1/2"	Countersunk	90V278	-----
Rear, all single & dual disc models, except V-Rod. 2000 & later.	41797-00	11-1/2"	Counterbore	90V226	-----
Front, all single & dual disc models, except V-Rod. 2000 & later.	44156-00	11-1/2"	Counterbore	-----	90V229



VORTEX[®] ROTORS (POLISHED STAINLESS STEEL)



- 90V650** Rotor, 11.5" Right Rotate, 84'- 99' & 00'-later (w/speedo notch)
- 90V651** Rotor, 11.5" Left Rotate, 84'- 99' & 00'-later (w/speedo notch)
- 90V652** Rotor, 11.5" Rear, 84'- 99' & 00'-later
- 90V653** Rotor, 11.8" Right Rotate, 08'- 13' Touring & 06'- 09' Dyna
- 90V654** Rotor, 11.8" Left Rotate, 08'- 13' Touring & 06'- 09' Dyna
- 90V655** Rotor, 11.8" Rear, 08'- 13' Touring & 06'- 09' Dyna

KING SPOKE[®] BLACK ROTOR



90V638 Rotor, 11.8" Rear, 08'- 13' Touring & 06'- 09' Dyn

KOOL KAT[®] ROTORS POLISHED STAINLESS STEEL



- 90V770** Rotor, 11.5" Front, 84'- 99' & 00'-later (w/speedo notch)
- 90V771** Rotor, 11.5" Rear, 84'- 99' & 00'-later
- 90V790** Rotor, 11.8" Front, 08'- 13' Touring & 06'- 09' Dyna
- 90V791** Rotor, 11.8" Rear, 08'- 13' Touring & 06'- 09' Dyn

MANHATTAN ROTORS (POLISHED STAINLESS STEEL)



- 90V950** Rotor, 11.5" Front, 84'- 99' & 00'-later (w/speedo notch)
- 90V952** Rotor, 11.8" Front, 08'- 13' Touring & 06'- 09' Dyna
- 90V953** Rotor, 11.8" Rear, 08'- 13' Touring & 06'- 09' Dyn



CUTOUT SWEEP POLISHED ROTOR

CNC Machined, polished stainless steel rotors Fits FX, FXR, and all Softail[®] models, Front, 1984 thru 1999 with 11.5" single disc.
90V617 Left rotation.

FLOATING ROTORS




90V897 Rotor, Floating, Spoked, 11.8", '08-'13 Touring & '06-'09 Dyna, RR



90V891 Rotor, Floating, Mesh, 11.5", '84-'99 & '00-Later, RR
90V893 Rotor, Floating, Mesh, 11.8", '08-'13 Touring & '06-'09 Dyna, RR

ULTIMA® EVO & TWIN CAM® SOFTAIL® 3.35" PRIMARY BELT DRIVES 1990 -2006



Ultima's 3.35" belt drive assembly revives the Old School drag race style primary drive at a new affordable price. The Drag Race style unit with features like the out board bearing support, extra plate clutch assembly and Goodyear 85mm wide (3.35") belts was designed to handle all the power you can throw at it.

For Evo & Twin Cam® Softail® and custom applications.

*Instructions included and available online @ www.ultimaproducts.com.

58V730 Polished Street Style Belt Drive Assembly

58V700 Polished Cast Drag Race Style Belt Drive Assembly
 w/ billet outboard Support

COMPLETE COMPETITION SERIES POLISHED ENGINE 107 C.I.



*NOT EPA COMPLIANT

298V232 107 CI 115 H.P., 120 LB FT Torque.
 Complete Engine, Polished Finish

