

WEEK LONG SALE



**MARCH
20-27**



FORGED ALUMINUM RISERS

These risers are forged from 6061-T6 aluminum for superior strength. Designed to fit applications with 3.5" center to center riser mounts & accept most top clamps. Available in a variety of sizes and with a chrome or black finish.

- 34-167** 3.5" forged alum riser, chrome.
- 34-168** 4.5" forged alum riser, chrome.
- 34-169** 5.5" forged alum riser, chrome.
- 34-170** 6.5" forged alum riser, chrome.
- 34-173** 4.5" forged alum riser, black.
- 34-174** 5.5" forged alum riser, black.
- 34-176** 8.5" forged alum riser, black.



34-168



34-167



34-169



34-176



34-170



34-174



34-173

HOLLOW POINT STYLE RISERS



34K133

34K148

These risers are CNC made from 6061-T6 billet aluminum and are beautifully chrome plated. Fit 1" diameter handle bars.

- 34K133 Hollow Point style, 2" riser set, chrome.
- 34K134 Hollow Point style, 4" riser set, chrome.
- 34K139 Hollow Point style, 6" riser set, chrome.
- 34K148 Hollow Point style, 8" riser set, chrome.
- 34K159 Hollow Point style, 10" riser set, chrome.

SOLID RIDE HANDLEBAR DAMPERS



Fits all models 1974 & later. Urethane bushings cut down vibration and at the same time give a more stable feel to the handlebars. Kit includes cup, sleeves and bushings. **SOLD AS KIT**

- 34K110 Heavy duty "Black" bushings w/chrome washers & tube.
- 34K125 Heavy duty "Red" bushings w/chrome washers & tube.



HANDLEBAR DAMPERS

- 34K89 Fits all XL & FL models 1974 & later. OEM 56159-73, 56153-73 & 56158-73.
- 34K91 Fits Wide Glide® top tree. OEM 56158-49.

OIL TANK FOR SPORTSTER®



Chrome plated oil tanks for Sportster® models.
26K129 Fits 1994 thru 1996. OEM 62475-94.

3.5 QUART OIL TANKS FOR WIDE SOFTAIL® FRAMES



26-200



26-202

6-1/2" Diameter, 11-3/4" long.

- 26K200 Side fill, chrome plated.
- 26K202 Center fill, chrome plated.



3.5 QUART OIL TANKS FOR 1984 THRU 1999 SOFTAIL® OR RIGID FRAMES



26-204



26-206

6-1/2" Diameter, 11-3/4" long.

- 26K204 Side fill, chrome plated.
- 26K206 Center fill, chrome plated.

4 QUART OIL TANK FOR CUSTOM UNIVERSAL USE



26-208

5-1/2" Diameter, 11-3/4" long. NO BATTERY TRAY.

- 26K208 Side fill, chrome plated.

ULTIMA® COMPLETE BLACK 60 SPOKE WHEELS



FRONT WHEELS

PART NUMBER	RIM SIZE	DISC	ROTOR	BEARING TYPE	AXLE SIZE
36K651	18 X 3.5	Single	00-LTR	Sealed ball	1"
36K652	21 X 2.15	Single	00-LTR	Sealed ball	1"
36K653	21 X 3.5	Single	00-LTR	Sealed ball	1"
36K655	23 X 3.5	Dual	00-LTR	Sealed ball	1"
36K656	26 X 3.5	Dual	00-LTR	Sealed ball	1"

REAR WHEELS

PART NUMBER	RIM SIZE	ROTOR/PULLEY	BEARING TYPE	AXLE SIZE
36K657	16 X 3.5	00-LTR	Sealed ball	1"
36K658	18 X 3.5	00-LTR	Sealed ball	1"



4-673



4-707



4-672

VRM302 TWIN "WHITE WALL"

- Specially formulated compound to deliver great grip in dry & wet riding & extended mileage.
- Sidewall construction to accommodate 2-up riding & superior weight carrying capacity for the larger motorcycles.
- 21" & 18" tires suited for touring bikes.
- DOT H-rated approved
- Sold each

PART #	SIZE	STYLE	SIDEWALL
4K673	150/80HB16	Rear Bias	White
4K707	180/50 R18	Rear Bias	White
4K672	MT90/HB16	Front Bias	White

VRM191/192

- Front & rear designed w/new compound for improved mileage
- Excellent traction in all-weather conditions
- Tubeless construction • DOT H-rated approved • Sold each

PART #	SIZE	STYLE
4K712	150/80H16	Rear
4K664	100/90H18	Front



4-712



4-664



4-702



4-703



4-701

VRM302 MONSTER

- High mileage compound
- All weather construction
- Tubeless construction
- DOT H-rated approved
- Applications for all chopper style rims
- Sold each

PART #	SIZE	STYLE
4K702	150/80 B16	Rear
4K703	150/60 B18	Rear
4K701	MT90 B16	Front

VRM393 Heavy Touring/Cruiser

- Designed specifically for heavy touring & cruiser motorcycles
- Superior long wearing compound for touring
- Outstanding wet and dry adhesion for all weather conditions
- High load ratings to carry passengers and luggage
- Casing structure allows excellent handling in corners

PART #	SIZE	STYLE
4K711	150/80-16	Rear



4-711



4-650

VRM302 TWIN

- High mileage compound • All weather construction
- Tubeless construction • DOT H-rated approved
- Front tire for use w/Monster rears • Sold each

PART #	SIZE	STYLE
4K650	180/60HB16	Rear Bias
4K652	200/55HR17	Rear Radial



4-652


Ultima[®] Evo

COMPETITION SERIES




COMPLETE COMPETITION SERIES ENGINE 113 C.I., NATURAL

COMPLETE COMPETITION SERIES ENGINE 127 C.I., POLISHED



*NOT EPA COMPLIANT



*NOT EPA COMPLIANT

298K253 **113 CI** Complete Engine, Natural Finish
120 H.P., 120 LB FT Torque.

298K274 **127 CI** Complete Engine, Polished Finish
140 HP, 140 LB FT Torque.